

LEDME - MODEL: AWL200

Step And Wall Luminaires


WAC

PROJECT: TYPE:

Product Image



Line Drawing



Product Description

Designed to accentuate the aesthetics of the building, the LEDme® luminaires are designed to blend seamlessly into the wall. Efficient energy savings and optimized light output increase the safety and style of the staircase, maintaining minimal glare on the walls and walkways. IP66 enables both indoor and outdoor lighting solutions in wet locations. 220V/ AC direct wiring is available.

Product Features

- Body Material: Aluminum alloy die-casting
- Optical System: /
- Finish: Static electricity powder coating
- Adjustable Angle: /
- Accessories: /
- Certification: CCC/CE
- IP Rating: IP66
- Insulation Level: Class I
- Operating Temperature: -20°C~50°C

Product Specifications

- Cut-out: 74*118mm
- LED Type: SMD
- LED Power: 3.22W
- Source Lm: 2700K 180LM/3000K 190LM/4000K 200LM;
- LED Lifetime: >40000h-L70 / B10-Ta25°C(LM-80 / TM-21)
- CCT/CRI: 2700K,Ra80; 3000K,Ra80; 4000K,Ra80
- SDCM: 3 SDCM
- Input: 220V/AC, 50 / 60Hz
- Dimming: On-off
- Net Weight: 0.48Kg without packing

Order Model

Model	Power(W)	Max Lumens(Lm)	Control Systems	CCT	Finish
AWL200	LD05 3.2W	68	E ON-OFF 220V/AC Power Supply	27 2700K	WT White Coat
				30 3000K	BK Black Coat
				40 4000K	BZ Bronze
					BN Brushed Nickel

Example AWL200-LD05E30WTW

LEDME - MODEL: AWL200

Step And Wall Luminaires


WAC

PROJECT:

TYPE:

Accessories

LIGHT DISTRIBUTION@3000K LUMINAIRE DATA



MODEL:	AWL200-LD05E30WT2
BEAM ANGLE:	/
POWER:	3.1W
LUMENS:	48lm
CBCP:	/
EFFICACY:	15.5lm/W