

FQ Dim-To-Warm

2" Wall Wash

R2FRWT | R2FRWL | R2FSWT | R2FSWL

Fixture Type: _____
 Project: _____
 Catalog#: _____
 Location: _____

ORDERING INFORMATION

CONFIGURATION TABLE		
Model	Color Temperature & CRI	Reflector Finish
R2FRWT	WD - 3000K-1800K - 90	BK - BLACK
R2FRWL		DB - DARK BRONZE
R2FSWT		HZ - HAZE
R2FSWL		HZWT - HAZE/WHITE
		WT - WHITE

R2F__-WD-__

Example: R2FRWT-WD-WT

ORDERING NOTES

1. The "Haze/White" finish is only available on trimmed fixtures (R2FRWT, R2FSWT).
2. The "Haze" finish is only available on trimless fixtures (R2FRWL, R2FSWL).

FQ Dim-To-Warm 2" Wall Wash

R2FRWT | R2FRWL | R2FSWT | R2FSWL

Fixture Type: _____
 Project: _____
 Catalog#: _____
 Location: _____

ORDERING INFORMATION

HOUSINGS				
	Model	Power		Emergency Backup
New Construction Airtight - Round & Square Trim	R2FBNT	1	15W IC	EM <i>Optional</i>
New Construction Frame-In - Round & Square Trim	R2FBFT	1	15W Non-IC	EM <i>Optional</i>
Remodel - Round & Square Trim	R2FBRT	1	15W Non-IC	N/A
New Construction IC Airtight - Round Trimless	R2FRNL	1	15W IC	N/A
New Construction IC Airtight - Square Trimless	R2FSNL	1	15W IC	N/A
Remodel - Round Trimless	R2FRRL	1	15W Non-IC	N/A
Remodel - Square Trimless	R2FSRL	1	15W Non-IC	N/A
Remodel - Round & Square Trim	R2FBR2T	1	15W IC	N/A

R2F__-__
 Example: R2FBNT-1

Millwork Housings	Size	Power	
New Construction R2FRNM	A 0.8"	1	15W IC
	B 1.5"		
New Construction R2FSNM	A 0.8"	1	15W IC
	B 1.5"		

R2F__-__-1
 Example: R2FRNM-A-1

FQ Dim-To-Warm

2" Wall Wash

R2FRWT | R2FRWL | R2FSWT | R2FSWL

Fixture Type: _____

Project: _____

Catalog#: _____

Location: _____


PERFORMANCE DATA

Polar Candela Distribution Charts

Samples shown with a fixture set to 3000K and 90 CRI.


ROUND

Asymmetric Beam



SQUARE

Asymmetric Beam



FQ

2" Wall Wash

R2FRWT | R2FRWL | R2FSWT | R2FSWL

Fixture Type: _____

Project: _____

Catalog#: _____

Location: _____

PERFORMANCE DATA

Unified Glare Rating (UGR) Table

UGR values shown are calculated at 3000K and 90 CRI.

Round Fixture	Angle	UGR Range
Asymmetric	-	≤ 20

Square Fixture	Angle	UGR Range
Asymmetric	-	≤ 20